## **CLAIMS**

What is claimed is:

- 1. A compressor assembly comprising:
  - a compressor driven by a motor;
- a protector for limiting operation of said motor and activated upon a predetermined condition;

said compressor, said motor and said protector being within a compressor housing; and

- a signaling device signaling the meeting of said predetermined condition to a location outside of said compressor housing.
- 2. The compressor assembly of Claim 1 wherein said protector is a motor protector.
- 3. The compressor assembly of Claim 2 wherein activation of said switch activates said signaling device.
- 4. The compressor assembly of Claim 3 wherein said switch is mounted generally in parallel with said signaling device.
- 5. The compressor assembly of Claim 4 wherein when said switch is open, current will flow to said signaling device.
- 6. The compressor assembly of Claim 1 wherein said signaling device comprises a light.
- 7. The compressor assembly of Claim 1 wherein said predetermined condition relates to an overload condition of said compressor.

- 8. The compressor assembly of Claim 1 wherein said signaling device comprise a terminal post.
- 9. The compressor assembly of Claim 1 wherein said compressor is a scroll compressor.

## 10. A scroll compressor comprising:

a pair of scroll elements interfitting to define compression chambers;

a drive shaft driven by an electric motor having a stator and a rotor, said drive shaft causing one of said two scroll members to orbit relative to the other; and

a motor protector switch mounted in conjunction with a winding of said stator, said motor protector switch including a switch which is selectively opened to stop operation of said electric motor, and a signaling device associated with said motor protector switch to provide a signal external to a compressor housing when said switch is opened.

11. A method of signaling an overload condition for a compressor comprising the steps of:

providing a compressor driven by a motor;
limiting operation of said motor upon a predetermined condition; and signaling the meeting of said predetermined condition to a location outside of said compressor.

- 12. The method of Claim 11 wherein limiting operation comprises the step of shutting down said motor.
- 13. The method of Claim 11 wherein signal comprises the step of illuminating a light.